

# SILVERTOP ASH DECKING

## *Eucalyptus Sieberi*

*Silvertop Ash is a lighter decking material than some other species, but it is durable and easily nailed, which makes it an attractive decking option.*

*It is a straight-grained timber that often features gum veins, ambrosia, growth rings and pencil steaks which add individuality to any decking project. The colour palette ranges from pale to medium browns with a hint of pink.*


*Silvertop is a native Australian timber which is sustainably harvested from forests stretching from the mid-north of New South Wales to Tasmania in the south.*

*Silvertop Ash provides good fire resistance, and is one of seven hardwood species that was found suitable for construction in bushfire prone areas.*

*Britton Timbers supplies Silvertop Ash decking Australia-wide from our Melbourne, Sydney and Brisbane distribution centres and overseas markets through Britton Timbers International.*

**Sizes:** 90mm x 22mm Pencil Round Four Corners  
140mm x 32mm Pencil Round Four Corners

**BAL:** Bushfire Attack Level 12.5, 19 & 29  
All AS 3959 Required Applications



## TECHNICAL INFORMATION

Density (kg/m <sup>3</sup> dry)	850	Tangential Shrinkage %	10.6	Machining	Good
Specific Gravity	0.68	Hardness (Janka) (kN)	9.5	Resistance to Split in Nailing	Fair
Modulus of Rupture (MPa dry)	136	Finish	Good	Resistance to Split in Screwing	Fair
Modulus of Elasticity (GPa dry)	17	Stability	Good	Gluing	Good
Radial Shrinkage %	5	Sapwood Lyctid Susceptible	No	Growing Region	VIC & NSW
				Availability	Available